

Notice of Allowability	Application No.	Applicant(s)	
	10/705,279	VOUTSAS ET AL.	
	Examiner	Art Unit	
	Long K. Tran	2818	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to Amdt on November 10, 2003.
2. The allowed claim(s) is/are 13 - 24.
3. The drawings filed on _____ are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date NOA 01/06/05.
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

Response to Amendment

1. This office action is in response to Amendment filed on November 10, 2003.
2. Claims **1 – 12** have been cancelled.
3. Claims **13 – 24** are presented for examination.

Drawings

4. The following changes to the drawings have been approved by the examiner and agreed upon by applicant (Mr. Matthew Rabdau on January 06, 2004): Figure 7, change "TFT CHANNEL 706" (for TFT 700) to --TFT CHANNEL 702--. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Allowable Subject Matter

5. Claims **13 – 24** are allowed.
6. The following is an examiner's statement of reasons for allowance: Claims **13 – 24** are allowable over the prior art of record because none of the prior art whether taken singularly or in combination, especially when these limitations are considered within the specific combination claimed, to teach:

A first area 102 (fig.4) having a lattice mismatch different and greater than a mismatch of a second area 104 (fig. 4) lattice mismatch as cited in the independent claims 13 and 23; channel region 706 (fig. 7) of the TFT 704 in first area 102 having a length 710 greater than or equal to the distance between high-angle GBs (fig. 7), channel region 702 of TFT 700 in second area 104 having length 708 less than or equal to distance between

Art Unit: 2818

high-angle GBs (fig. 7) as cited in the independent claim 22; a pixel array substrate REGION 1/ MASK 1 102 (FIG. 4) having a lattice mismatch different and greater than a mismatch of a column drivers substrate REGION 2/ MASK 2 104 (FIG. 4) as cited in the independent claim 24; and among other limitations as cited in the independent claims 13, 22, 23 and 24.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Long K. Tran whose telephone number is 571-272-1797. The examiner can normally be reached on Mon-Thu.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on 571-272-1787. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2818

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Long Tran 

January 6, 2005



David Nelms
Supervisory Patent Examiner
Technology Center 2800